

1. SITUACIJSKE FOTOGRAFIJE —> FOTOGRAFIJE PACIJENTA NA POČETKU TERAPIJE

A) Ekstraoralne fotografije (cijelo lice)



1. Opuštene usne, lagano otvorene



2. Široki osmijeh
- Zubi razdvojeni
- Analiza girlandi
- Vidljivost gingive



3. U zagrizu s retraktorom



4. Razdvojeni zubi s retraktorom
- analiza proteste linije u
odnosi na ravninu očiju i ušiju

A) Intraoralne fotografije



1. Opuštene usne, lagano otvorene
- vidljivost sjekutića



2. Široki osmijeh



3. Retraktor/Optragate u zagrizu



4. Retraktor/Optragate razdvojeni
zubi

2. FOTOGRAFIJE BRUŠENIH ZUBA

A) Ekstraoralne fotografije (cijelo lice)




1. Blagi osmijeh, usne lagano otvorene



2. U zagrizu s retractorom



3. Razdvojeni zubi s retractorom
- analiza proteste linije u odnosi na ravninu
očiju i ušiju



BREYER
DENTALNA POLIKLINIKA

FOTOGRAFIRANJE BOJE ZUBA

- ! Ključ boja mora stajati paralelno sa ravninom zuba
- ! Oznaka na ključu boja mora biti vidljiva
- ! Fotografirati susjedne zube i zub koji se radi na kontralateralnoj strani (ne fotografirati sjekutiće ukoliko se radi kutnjak!)
- ! Idealno je fotografirati s kontrastorima

